## **About GPS Insight DVIR**



Link: https://help.gpsinsight.com/docs/about-gps-insight-dvir/ Last Updated: June 2nd, 2023

The GPS Insight DVIR product (iOS and Android compatible) offers an FMCSA/NSC compliant (US/Canada) DVIR solution designed to electronically record DVIRs and DVIR-related processes completed by admins/managers, drivers, and mechanics.

rt 2 – Schedules Truck, Tractor & Trailer d trailers or combinations thereo Major Defect(s)	repetitor Nueles Celuis Tec.820064 S Celuis Tec.82005 S Celuis Tec.82005 S Celuis Celu	n w C (1) Result Contine Unsultat	V1-0331   Insection Type L. Position	Form Manager	<ul> <li>Candiel Y</li> <li>205454</li> <li>205454</li> <li>205454</li> <li>205454</li> <li>205454</li> <li>205454</li> <li>205454</li> </ul>	Ven Next: Trailer Setup TYPE * Pre-Trip EQUIPMENT * Vehicle VEHICLE * Sharon Geometris FORM * Schedule 1 - Truck, T ODOMETER 100 km HOUR METER	, .			,
		n w 🤇 (2) Result Condition Unsulted	Impedia Type           L.         Pa-Type           L.         Address           L.         Pa-Type           L.         Pa-Type           L.         Pa-Type           L.         Pa-Type           L.         Pa-Type           L.         Pa-Type	>            Could By         Could By           Could By         adumCVIS2           AdumEVIS2         adumCVIS2           AdumEVIS2         adumCVIS2	2023-03-0 2023-03-0 2023-03-0 2023-03-0 2023-03-0 2023-03-0 2023-03-0	Next: Trailer Setup TYPE* Pre-Trip EQUIPMENT* Vehicle VEHicle* Sharon Geometris Form* Schedule 1 - Truck, T obomETER 100 km	, .		-	,
et 2 – Schedules Truck, Tractor & Trailer d trailers or combinations thereo Major Defect(s) Defect(s) Major Defect(s) Major Defect(s) Major Defect(s) Major Defect(s) Major Defect(s) Major Defect(s)	repetitor Nueles Celuis Tec.820064 S Celuis Tec.82005 S Celuis Tec.82005 S Celuis Celu	Result Condition Dissafed Condition Dissafed	Impedia Type           L.         Pa-Type           L.         Address           L.         Pa-Type           L.         Pa-Type           L.         Pa-Type           L.         Pa-Type           L.         Pa-Type           L.         Pa-Type	Cauld By     Adverted By     AdvertedBy     AdvertedBy     AdvertedBy     AdvertedBy	2023-03-0 2023-03-0 2023-03-0 2023-03-0 2023-03-0 2023-03-0 2023-03-0	Next: Trailer Setup TYPE* Pre-Trip EQUIPMENT* Vehicle VEHicle* Sharon Geometris Form* Schedule 1 - Truck, T obomETER 100 km	, .	-	-	,
rt 2 – Schedules Truck, Tractor & Trailer d trailers or combinations thereo Major Defeot() Poolend stock of any heak Az lion struct conced present beogradies toroing cystem taking beogradies to the cystem beogradies to the cystem taking beogradies to the cystem taking beogradies to the cystem taking beogradies to the cystem taking taking the cystem beogradies to the cyste	read 2004 S S S S S S S S S S S S S S S S S S	Condition Unsafed	L Pulty L Adric L Adric L Pulty L Pulty L Pulty	adumb/H2 adumb/H2 adumb/H2 adumb/H2 adumb/H2 adumb/H2	2023-03-0 2023-03-0 2023-03-0 2023-03-0 2023-03-0 2023-03-0 2023-03-0	Pre-Trip EQUIPMENT * Vehicle VEHICLE * Sharon Geometris FORM * Schedule 1 - Truck, T ODOMETER 100 km	Tractor		~	,
rt 2 – Schedules Truck, Tractor & Trailer d trailers or combinations thereo Major Defeot() • Dealend stroke of any brake • As how are concede present • Departure toroing count fail • Importation toroing views fail • Importation converse, making Major Defeot() • Any after Defeot()	Ted 201033 1 1 1 or or or exceeding a registered for exceeding a registered for	Condition Unsafed	L Adrice L Pis-Top L Pis-Top L Pis-Top L Pis-Top	adurededitemanip aduredx492 aduredx492 aduredx492 aduredx492 aduredx492	2025-05-0 2025-05-0 2025-05-0 2025-05-0 2025-05-0	Pre-Trip EQUIPMENT * Vehicle VEHICLE * Sharon Geometris FORM * Schedule 1 - Truck, T ODOMETER 100 km	Tractor		~	,
rt 2 – Schedules Truck, Tractor & Trailer d trailers or combinations thereo Major Defectly Publical struke of any heike Air loss rate exceeds preseri Looperation turning vehicle Caro air warning system field Importation turning vehicle Major Defectly Major Defectly	or eof esceeding a registered le exceeding a registered le exceeds the adjustment limit, robot limit, (which) protection system, sh or system is activated, gr energymery back.		1. Polty 1. Polty 1. Polty 1. Polty	adumQV92 adumQV92 adumQV92 adumQV92	2023-03-0 2023-03-0 2023-03-0 2023-03-0	Vehicle VEHICLE * Sharon Geometris FORM * Schedule 1 - Truck, T ODOMETER 100 km	Tractor		v	,
Truck, Tractor & Trailer d trailers or combinations thereo Major Defect(s) • Poolend stocks of any heake • As how race concels present • Desperative torwing veloce tails • Imperative torwing veloce tails • Imperative service, pathing • Major Defect(s) • Any adv or desper does fails • Major Defect(s)	or eof exceeding a registered like exceeds the adjustment limit, robed limit, (which) protection system, sh or system is activated, g or enorgoncy back.		L. Poltp L. Poltp L. Poltp	adum0VR2 adum0VR2 adum0VR2	2125454	VEHICLE * Sharon Geometris FORM * Schedule 1 - Truck, T ODOMETER 100 km	Tractor		v	,
Truck, Tractor & Trailer d trailers or combinations thereo Major Defect(s) • Poolend stocks of any heake • As how race concels present • Desperative torwing veloce tails • Imperative torwing veloce tails • Imperative service, pathing • Major Defect(s) • Any adv or desper does fails • Major Defect(s)	oof exceeding a registered ke exceeds the adjustment limit, ribed limit. (Thrated limit, g or ensergency beaks.		L. Polity	adureDvIR2 adureDvIR2	215454	Sharon Geometris FORM * Schedule 1 - Truck, T ODOMETER 100 km	Tractor			
d trailers or combinations thereo Major Defect(s) Pushed stroke of any brake. At loss rate exceeds present Inoperative training vehicle ( Leos air warning system full Inoperative service, parking Major Defect(s) Major Defect(s) Major Defect(s)	oof exceeding a registered ke exceeds the adjustment limit, ribed limit. (Thrated limit, g or ensergency beaks.		L. Polip	adumDvIR2	2125-15-1	FORM * Schedule 1 - Truck, T ODOMETER 100 km	Tractor			
Major Defect(s)           Probled stroke of any brake           At low rate exceeds preserf           Inoperative browing which is browning which is the strain of the strength of the strengt of the str	ie exceeds the adjustment limit, robed limit. ((mator) protection system, ab) or system in activated, ag or encogency beske,				_	Schedule 1 - Truck, T ODOMETER 100 km	Tractor		v	, 
Pundand strukt of any heads Air line and rescaled person? Inseparative towing vehicle () Low air warning system field Inseparative sorvice, parking Major Befrotty Any cah or sleeper door fully Major Defectly	rribed limit. (tractor) protection system. als or system is activated. gg or emergency brake.		L. Peilip	adum0viR2	2125-054	100 km				
Low air warning system fails     Inoperative sorvice, parking:     Major Defect(s)     Any cah or sloeper door fails     Major Defect(s)	alls or system is activated. 1g or emergency brake.	=				HOUR METER				
Any cale or sloeper door fails  Major Defection	alls to close security.									
		-1								
<ul> <li>Absence, failure, malfunction securement device or load or</li> </ul>	tion or deterioration of required	cargo								
Lucia a com										
<ul> <li>Coupling or locking mechani</li> </ul>										
		- 1								
	nexts not met.	_								
d .										
Major Defect(s)  • Seathelt or tether belt is inte	secure, missing or malfunctions		-	00						
Major Defect(s) • Inoperative breakaway devic • Inoperative brake.	vice.					Back		Next		D
	Deficies_incorrect or mi     Deficies_incorrect or mi     Major Deficies_incorrect or mi     Dangemen_goods requires     Seather Deficiency     Seather or techer belt in in     Major Deficiency     Major Deficiency     Major Deficiency     Major Deficiency     Major Deficiency     Major Deficiency	Deficies, incorrect or missing safety chain/safet.     Major Defice(s)     Ourgement goods requirements not met.     Major Defice(s)     Seatherk or telser beit is insecure, missing or malfunctions     Major Defice(s)     Seatherk or telser beits is insecure, missing or malfunctions     Major Defice(s)     Seatherk or telser beits and device.     Seatherk or telser beits.	Major Defect(s)           • Dargerises goods requirements not met.           n           Major Defect(s)           • Scathelt or teller belt is insecure, mining or malfanctions.           Major Defect(s)           • Insperative brains queries.           • Insperative brain	Defective, incentred en missing safety chain table.      Major Defectly     Dargeness guests requirements not met.      Major Defectly     Scattering and requirements not met.      Major Defectly     Scattering of the singerstate missing or malifunctions.      Major Defectly     Scattering Defectly     Scatterin	Deficies, incorrect or mining sefery chain cable.      Major Defice(ty)     Dargerine goods requirements set met.      Major Defice(ty)     Scatheft or tellor belt is inscenze, mining or multimetions.      Major Defice(ty)     Inspective brakenya device.     Inspective brake.	Deficitive, incorrect or mining seffery chain cable.      Major Deficitly     Desgenee goods requirements not met.      Major Deficitly     Scatheft or teher belt is inscenze, mining or multimetions.      Major Deficitly     Inspectrum brakeny device.     Inspectrum brakeny device.	Defpetre, incenses and metalization      Major Defpetry     Output     Defpetre     De	Deficitive, incorrect or missing safety chaincable.      Major Deficitly     Outgeness guods requirements not met.      Major Deficitly     • Scatheli or refler belt is insecure, minsing or malfunctions.      Major Deficitly     • Scatheli or refler belt is insecure, minsing or malfunctions.      Major Deficitly     • Insperative breaker.      Back	Deficitive, incorrect or mining safety chaincable.      Major Deficitly     Outgraves guods requirements not met.      Major Deficitly     Scatheli or refler theil is insecure, mining or malifunctions.      Major Deficitly     Inspective breaker.      Descent Deficitly     Descent Deficitly	Defpotes, incorrect or missing safety chaincable.      Major Defpot(s)     Outgoines guides requirements not met.      Major Defpot(s)     Scatheli or refler belt is insecure, minsing or multifunctions.      Major Defpot(s)     Insperative breaker.      Back Next

**Note.** This product is for fleets that do not fall under HOS requirements but must meet DVIR compliance in US and/or in Canada.

Download the iOS mobile app: GPS Insight DVIR – iOS Download the Android mobile app: GPS Insight DVIR – Android Access the Portal: GPS Insight DVIR Portal

## **Primary Features**

Available features are listed below. We have categorized available features by which feature would be most useful based on role.

# About GPS Insight DVIR



Link: https://help.gpsinsight.com/docs/about-gps-insight-dvir/ Last Updated: June 2nd, 2023

### Admins/Managers

- Create custom vehicle inspection templates
- Access to pre-made vehicle inspection templates
- Export DVIRS into PDF or Excel in bulk
- Receive defect notifications
- Set default vehicle inspection templates by asset type

#### **Drivers**

- Perform pre-/post-trip or ad-hoc inspections
- Identify and record defects
- Prompted to confirm past defects are resolved/repaired
- Sign/Certify
- Email and/or present inspections to DOT

### **Mechanics**

- Attach worker orders and/or vehicle repair information to a DVIR (From Mobile App or Portal)
- Sign off on repaired defects

## **Logging In**

Logging in to the DVIR product is as easy as opening the GPS Insight DVIR login page, entering your login credentials and tapping **Login**. If you are accessing the Portal on your computer, navigate to the GPS Insight DVIR Portal at the URL provided above, enter your login credentials, and click **Login**.

### **Forgotten Your Password?**

If you have forgotten or misplaced your password, please select the **Forgot Password?** link. You are prompted to enter your username or email address, then select **Request Password Reset**. Instructions for resetting your password are sent via email.

# **About GPS Insight DVIR**



Link: https://help.gpsinsight.com/docs/about-gps-insight-dvir/ Last Updated: June 2nd, 2023