



To perform a DVIR, please follow the instructions below.


1. From the Home Screen, tap the Inspections Report button.



2. Tap on the + button (bottom of the screen).




3. Tap the vehicle inspection regulation region from the options shown, then tap **OK**.




Note. Additional options are available for Quebec compliance: heavy vehicle, bus, and motor coach.

A New Inspection Form appears.

4. Inspect the tractor/trailer, tap the checkbox next to any defective item you may have found, and enter remarks for the checked items then tap **OK**.




5. Tap **NEXT**.



Note. We have separated items under the C-TPAT 17 agreement in order to help you reduce border delays (if applicable) and minimize risks.

6. Enter a remark and indicate if defects were corrected or not.



New Inspection (United States)

Remark

30954.0

Seal number

Remark

CONDITION OF THE VEHICLE IS SATISFACTORY

DEFECTS CORRECTED

DEFECTS DO NOT NEED TO BE CORRECTED FOR SAFE OPERATION OF VEHICLE


DEFECTS NEED TO BE CORRECTED FOR SAFE OPERATION OF VEHICLE

Fort Worth, TX

e-Sign Pictures Upload

< BACK

7. Sign the inspection report. If you have not added a signature, tap the pencil icon at the bottom right corner of the screen.




8. Sign on the line above “Put your signature here” and tap **Save & Finish**.



Note. If defects were found and corrected, you can ask the mechanic for a signature. There is a third, optional signature that some carriers require before a vehicle leaves the yard.

9. Tap **Upload**, then **OK**.



The DVIR is submitted.