



To perform a DVIR, please follow the instructions below.


1. From the Home Screen, tap the Inspections Report button.



2. Tap on the + button (bottom of the screen).




3. Tap the vehicle inspection regulation region from the options shown, then tap **OK**.




Note. Additional options are available for Quebec compliance: heavy vehicle, bus, and motor coach.


A New Inspection Form appears.

4. Inspect the tractor/trailer, tap the checkbox next to any defective item you may have found, and enter remarks for the checked items then tap **OK**.




5. Tap **NEXT**.





Note. We have separated items under the C-TPAT 17 agreement in order to help you reduce border delays (if applicable) and minimize risks.

6. Enter a remark and indicate if defects were corrected or not.



New Inspection (United States)

Remark

30954.0

Seal number

Remark

☒ CONDITION OF THE VEHICLE IS SATISFACTORY

☐ DEFECTS CORRECTED

☐ DEFECTS DO NOT NEED TO BE CORRECTED FOR SAFE OPERATION OF VEHICLE


☐ DEFECTS NEED TO BE CORRECTED FOR SAFE OPERATION OF VEHICLE

Fort Worth, TX


e-Sign Pictures Upload

< BACK

7. Sign the inspection report. If you have not added a signature, tap the pencil icon at the bottom right corner of the screen.




8. Sign on the line above “Put your signature here” and tap **Save & Finish**.



Note. If defects were found and corrected, you can ask the mechanic for a signature. There is a third, optional signature that some carriers require before a vehicle leaves the yard.

9. Tap **Upload**, then **OK**.



The DVIR is submitted.